

Leyiduo

2025
PRODUCT

Kitchen Appliances Catalogue

Zhongshan Leyiduo Electric Appliance Co., Ltd

Email:sales@leyiduodq-ch.com

Web:www.leyiduodq.com





LOVE TO GO HOME

our company LEYIDUO

Leyiduo Electric Appliance Co., Ltd. was founded in 2021. With a team who have many years home appliances developing , manufacturing and exporting experience. Specialized in research and development and production of kitchen appliances, with range hoods , gas hobs, gas water heaters and other home appliances. We have multibit experienced engineer in our R&D team and A focused and committed QC team . We are ready to provide creative, user friendly and competitive products through multiple platforms for customers all over the word. We welcome new and old customers from all walks of life to cooperate both OEM and ODM projects. We believe "WE CAN!"-We can cooperate to create value!Our enterprise vision is "do popular products, do respected enterprises" . Always adhere to the core values of "love,harmony,wisdom,beauty,win-win",We commit to delivering the harmonious beauty of love and wisdom to every family. Constantly meeting the ever-changing needs of customers.




Leyiduo

LOVE TO GO HOME

OUR WORKSHOP



Leyiduo



9 Speed Somatosensory switch

Painted Black Net


WALL MOUNTED RANGE HOOD



Model No.: LYDL01

Features:


Width: 755mm (29.72'inches)
Material: Painted Black Body
Motor: 1*200W-DC
Lamp: 2*1.5W
Control: Motion Sensor Control
Speed: 9 Speed
Filter: Painted Black Net
Ducting: Φ 150mm
Net Weight: 22.5KGS
Gross Weight: 30.6KGS
Product Dimension: 755*465*920mm
Package Dimension: 870*560*1030mm
Optional: 755/900MM width
Loading Quantity : 117/40'HQ



Model No.: LYDT701

Features:

Width: 755mm (29.72'inches)
Material: 201SS+430SS
Motor: 1*200W-DC
Lamp: 2*1.5W LED
Control: Motion Sensor Control
Speed: 9 Speed
Filter: 430ssFilter
Outlet: Φ 150mm
Product Dimension: 755*455*620mm
Package Dimension: 820*655*525mm
Net Weight: 16.9KGS
Gross Weight: 24.48KGS
Optional: 755/900MM width
Loading Quantity : 242/40'HQ



Leyiduo

2 speeds touch control

2*Stainless Steel Net




WALL MOUNTED RANGE HOOD



Model No.: LYD-P710

Features:


Width: 710mm (27.95" inches)
Material: 201SS
Motor: 2*130W
Lamp: 2*1.5W LED, oblong, White color
Control: Wave Control
Speed: 2 Speed
Filter: 2*Stainless Steel Net
Outlet: 150mm (6" inches)
Product Dimension: 710*410*150mm
Package Dimension: 775*220*495mm
Net Weight: 11.75KGS
Gross Weight: 13.5KGS
Optional: 710/750/900MM width
Loading Quantity : 333/40'HQ



Model No.: LYD-US924

Features:

Width: 710mm (27.95" inches)
Material: Black Coating+430SS
Motor: 2*130W
Lamp: 2*1.5W LED, oblong, White color
Control: Wave Control
Speed: 2 Speed
Filter: 2*Stainless Steel Net
Outlet: 150mm (6" inches)
Product Dimension: 710*410*150mm
Package Dimension: 775*220*495mm
Net Weight: 15.5KGS
Gross Weight: 18KGS
Optional: 700/750/900MM width
Loading Quantity : 333/40'HQ






Model No.: LYD-18813-2

Features:


Wave Control, Stainless Steel Filter, 430SS body
 Width: 755mm (29.72'inches)
 Material: SS430
 Motor: 1*200W
 Lamp: 2*1.5W LED, Round, White color
 Control: Wave Control
 Speed: 3 Speed
 Filter: 2*Stainless Steel Net
 Outlet: 150mm (6'inches)
 Product Dimension: 755*500*660mm
 Package Dimension: 805*325*555mm
 Net Weight: 20.1KGS
 Gross Weight: 22.4KGS
 Optional: 755/900MM width
 Loading Quantity : 468/40'HQ



Model No.: LYD-Z002

Features:



Width: 900MM(35.43'inches)
 Material: SS430
 Motor: 1X200W
 Lamp: 4*1.5W LED
 Control: Push button
 Speed: 3 speeds
 Filter: Aluminum Filter Mesh
 Outlet: Φ150MM
 Product Dimension: 900*900*1020MM
 Package Dimension: 955*580*1145MM
 Net Weight: 28.0 KGS
 Gross Weight: 31.0 KGS
 Optional: 900MM width
 Loading Quantity : 107/40'HQ



Model No.: LYD-907

Features:


Width: 900mm(35.43inches)
 Material: 430SS
 Motor: 1*200W
 Lamp: 4*1.5W, round, white
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: 3*Aluminum mesh
 Ducting: 150mm
 Net Weight: 16.2KGS
 Gross Weight: 25.2KGS
 Product Dimension: 895*560*595+530mm
 Package Dimension: 960*400*620mm
 Optional: 700/755/900MM width
 Loading Quantity : 285/40'HQ



Model No.: LYD-906

Features:

Width: 900mm(35.43inches)
 Material: 430SS
 Motor: 1*200W
 Lamp: 4*1.5W, round, white
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: 3*Aluminum mesh
 Ducting: 150mm
 Net Weight: 16.2KGS
 Gross Weight: 25.2KGS
 Product Dimension: 895*560*595+530mm
 Package Dimension: 960*400*620mm
 Optional: 900MM width
 Loading Quantity : 285/40'HQ






ModelNo.:LYD-G701

Features:


Width: 700mm (27.56inches)
 Material: 201SS+430SS
 Motor: 1*200W
 Lamp: 2*1.5W LED, Round, White color
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: 2*Stainless Steel Net
 Outlet: 150mm
 Product Dimension: 690*500*440mm
 Package Dimension: 790*370*550mm
 Net Weight: 11.18KGS
 Gross Weight: 15.21KGS
 Optional: 600/700/750MM width
 Loading Quantity : 425/40'HQ



ModelNo.:LYD-G702

Features:


Width: 900mm
 Material: Black painting+430SS
 Motor: 1*200W
 Lamp: 2*1.5W LED, Round, White color
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: 2*Aluminum Filter Mesh
 Outlet: 150mm
 Product Dimension: 690*500*440mm
 Package Dimension: 790*370*550mm
 Net Weight: 11.18KGS
 Gross Weight: 15.21KGS
 Optional: 600/700/750MM width
 Loading Quantity : 425/40'HQ



ModelNo.:LYD-K701

Features:


Width: 700mm (27.56inches)
 Material: 430SS
 Motor: 1*200W
 Lamp: 2*1.5W LED
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: 2*Stainless Steel Net
 Outlet: 150mm (6inches)
 Product Dimension: 700*405*460mm
 Package Dimension: 760*470*555mm
 Net Weight: 8.1KGS
 Gross Weight: 12.4KGS
 Optional: 700/750/900MM width
 Loading Quantity : 340/40'HQ



ModelNo.:LYD-K703

Features:

Width: 600mm
 Material: Black painting+430SS
 Motor: 1*200W
 Lamp: 2*1.5W LED
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: 2*Aluminum Filter Mesh
 Outlet: 150mm
 Product Dimension: 700*365*325mm
 Package Dimension: 760*470*555mm
 Net Weight: 8KGS
 Gross Weight: 12KGS
 Optional: 700/750/900MM width
 Loading Quantity : 340/40'HQ



LYD-RH-V007

LED Light:1x2W
Diameter of air outlet:150mm
Finish: stainless steel & tempered glass
Discharging type and Inner circulating type
Touch control

Options:

Activated carbon filters
Gesture Sensing
Wireless Remote

-Packing size(30"):850x515x555mm
-Container loading(30"):112/240/290pcs
-G.W :31kgs
-N.W :26kgs

Specifications:

Motor	Wind drawing volume	Noise	Size	Remark
KB 24	600CFM	56dB	30"/36"	
C7	600CFM	58dB	30"/36"	



LYD-RH-V009

LED Light:1x2W
Diameter of air outlet:150mm
Finish: stainless steel & tempered glass
Discharging type and Inner circulating type
Touch control

Options:

Activated carbon filters
Gesture Sensing
Wireless Remote

-Packing size(30"):850x515x555mm
-Container loading(30"):112/240/290pcs
-G.W :31kgs
-N.W :26kgs

Specifications:

Motor	Wind drawing volume	Noise	Size	Remark
KB 24	600CFM	56dB	30"/36"	
C7	600CFM	58dB	30"/36"	



LYD-RH-V008

LED Light:1x2W
Diameter of air outlet:150mm
Finish: stainless steel & tempered glass
Discharging type and Inner circulating type
Touch control

Options:

Activated carbon filters
Gesture Sensing
Wireless Remote

-Packing size(30"):850x515x555mm
-Container loading(30"):112/240/290pcs
-G.W :31kgs
-N.W :26kgs

Specifications:

Motor	Wind drawing volume	Noise	Size	Remark
KB 24	600CFM	56dB	30"/36"	
C7	600CFM	58dB	30"/36"	



LYD-RH-V010

LED Light:1x2W
Diameter of air outlet:150mm
Finish: stainless steel & tempered glass
Discharging type and Inner circulating type
Touch control

Options:

Activated carbon filters
Gesture Sensing
Wireless Remote

-Packing size(30"):850x515x555mm
-Container loading(30"):112/240/290pcs
-G.W :31kgs
-N.W :26kgs

Specifications:

Motor	Wind drawing volume	Noise	Size	Remark
KB 24	600CFM	56dB	30"/36"	
C7	600CFM	58dB	30"/36"	






Model No.: LYD-T701S

Features:


Width: 700mm (27.56" inches)
 Material: 201SS+430SS
 Motor: 1*200W
 Lamp: 1*3W LED
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: 430ss Filter
 Outlet: Φ 150mm
 Product Dimension: 700*405*540mm
 Package Dimension: 775*558*483mm
 Net Weight: 13.29KGS
 Gross Weight: 16.92KGS
 Optional: 700/755/900MM width
 Loading Quantity : 325/40'HQ



Model No.: LYD-T90V

Features:


Width: 900mm (35.43" inches)
 Material: Painted Black Body
 Motor: 1*200W
 Lamp: 1*1.5W LED
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: Double tier layer Filters
 Outlet: 180mm
 Product Dimension: 895*485*580mm
 Package Dimension: 945*675*575mm
 Net Weight: 19.4KGS
 Gross Weight: 24.89KGS
 Optional: 900MM width
 Loading Quantity : 185/40'HQ



Model No.: LYD-D701

Features:


Width: 710mm (27.95" inches)
 Material: Painted Black Body
 Motor: 2*130W
 Lamp: 1*1.5W LED, rectangle, White color
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: Steel Panel + Safety Net*2
 Outlet: Φ 160MM
 Product Dimension: 700*365*390mm
 Package Dimension: 775*480*440mm
 Net Weight: 16KGS
 Gross Weight: 20.25KGS
 Optional: 600/700/755/900MM width
 Loading Quantity : 415/40'HQ



Model No.: LYD-9072

Features:

Width: 900mm (35.43" inches)
 Material: Painted Black Body
 Motor: 1*200W
 Lamp: 1*5W LED
 Control: Motion Sensor Control
 Speed: 3 Speed
 Filter: Filterless design
 Outlet: 180mm
 Product Dimension: 895*345*965mm
 Package Dimension: 940*415*1060mm
 Net Weight: 23KGS
 Gross Weight: 30KGS
 Optional: 750/900MM width
 Loading Quantity : 164/40'HQ



LED Light:2x2W
 Diameter of air outlet:150mm
 Finish: stainless steel
 Discharging type and Inner circulating type
 Push control

Options:
 Gu10 Lamp
 Touch control
 Aluminum filter
 6A Packing

-Packing size(30"):805x375x405mm
 -Container loading(30"):250/490/570pcs
 -G.W :19kgs
 -N.W :16kgs



LYD-RH-IN001

Specifications:				
Motor	Wind drawing volume	Noise	Size	Remark
YDC-50	250CFM	56dB	30"/36"	
KD88-59	450CFM	58dB	30"/36"	
C7	600CFM	58dB	30"/36"	



LYD-RH-IN002



LYD-RH-S009

LED Light:2x2W
 Diameter of air outlet:150mm
 Finish: stainless steel
 Discharging type
 Touch control

Options:
 Gu10 Lamp
 Gesture Sensing
 Wireless Remote
 6A Packing

-Packing size(30"):855x515x655mm
 -Container loading(30"):84/180/240pcs
 -G.W :30kgs
 -N.W :27kgs

Specifications:				
Motor	Wind drawing volume	Noise	Size	Remark
KD88-42	550CFM	58dB	30"/36"/42"	



LED Light:2x2W
 Diameter of air outlet:150mm
 Finish: stainless steel
 Discharging type
 Touch control

Options:

Gu10 Lamp
 Gesture Sensing
 Wireless Remote
 6A Packing

-Packing size(30"):855x385x655mm
 -Container loading(30"):143/293/330pcs
 -G.W :24kgs
 -N.W :21kgs

Specifications:

Motor	Wind drawing volume	Noise	Size	Remark
KD88-42	550CFM	58dB	30"/36"/42"	



**LYD-RH-S014
 Black**



**LYD-RH-S014
 Gray**



**LYD-RH-S014
 White**



HT-RH-S014 S.S

LED Light:2x2W
 Diameter of air outlet:150mm
 Finish: stainless steel
 Discharging type
 Touch control

Options:

Gu10 Lamp
 Gesture Sensing
 Wireless Remote
 6A Packing

-Packing size(30"):855x385x655mm
 -Container loading(30"):143/293/330pcs
 -G.W :24kgs
 -N.W :21kgs

Specifications:

Motor	Wind drawing volume	Noise	Size	Remark
KD88-42	550CFM	58dB	30"/36"/42"	





LYD-RH-L003

LED Light:2x2W
 Diameter of air outlet:150mm
 Finish: stainless steel
 Discharging type
 Touch control

Options:
 Gu10 Lamp
 Gesture Sensing
 Wireless Remote
 6A Packing

-Packing size(30"):855x515x655mm
 -Container loading(30"):84/180/240pcs
 -G.W :30kgs
 -N.W :27kgs

Specifications:

Motor	Wind drawing volume	Noise	Size	Remark
KD88-42	550CFM	58dB	30"/36"/42"	



LYD-RH-L001



LYD-RH-L002

LED Light:2x2W
 Diameter of air outlet:150mm
 Finish: stainless steel
 Discharging type
 Touch control

Options:
 Gu10 Lamp
 Gesture Sensing
 Wireless Remote
 6A Packing

-Packing size(30"):855x515x655mm
 -Container loading(30"):84/180/240pcs
 -G.W :30kgs
 -N.W :27kgs

Specifications:

Motor	Wind drawing volume	Noise	Size	Remark
KD88-42	550CFM	58dB	30"/36"/42"	



LYD-RH-L004



LYD-RH-L005



LYD-GH-S4-G1020 Built in hob

4 gas burners
3.3/2.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Enamel pan support



LYD-GH-S4-G1021 Built in hob

4 gas burners
3.3/2.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Enamel pan support



LYD-GH-S4-G1024 Built in hob

4 gas burners
3.3/1.75/1.75/1.0kw
Auto ignition
Stainless steel surface
Enamel pan support



LYD-GH-S4-G1025 Built in hob

4 gas burners
3.3/1.75/1.75/1.0kw
Auto ignition
Stainless steel surface
Enamel pan support



LYD-GH-S4-G1022 Built in hob

4 gas burners
3.3/2.75/1.75/1.0kw
Auto ignition
Stainless steel surface
Cast iron pan support
Enamel pan support



LYD-GH-S4-G1023 Built in hob

4 gas burners
2.75/1.75/1.75/1.0kw
Auto ignition
Stainless steel surface
Cast iron pan support
Enamel pan support

Surface size (mm):

590*510

Cutout size(mm) :


560*475

Carton box size(mm):

640*550*140

20'/40'/40'HQ (pcs):

590/1100/1380



LYD-GH-S4-G1026 Built in hob

4 gas burners
3.3/1.75/1.75/1.0kw
Auto ignition
Stainless steel surface
Cast iron pan support
Enamel pan support

Surface size (mm):

590*510

Cutout size(mm) :

560*475

Carton box size(mm):

640*550*140


20'/40'/40'HQ (pcs):

590/1100/1380



LYD-GH-S4-G1027 Built in hob

4 gas burners
2.75/1.75/1.75/1.0kw
Auto ignition
Stainless steel surface
Cast iron pan support
Enamel pan support





LYD-GH-G5-G1042 Built in hob

5 gas burners
3.2/3.0/1.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Cast iron pan support



LYD-GH-G5-G1043 Built in hob

5 gas burners
3.2/3.0/1.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Cast iron pan support



LYD-GH-G5-G1046 Built in hob

5 gas burners
3.2/3.0/1.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Cast iron pan support



LYD-GH-G5-G1047 Built in hob

5 gas burners
3.2/3.0/1.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Cast iron pan support



LYD-GH-G5-G1044 Built in hob

5 gas burners
3.2/3.0/1.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Cast iron pan support



LYD-GH-G5-G1045 Built in hob

5 gas burners
3.2/3.0/1.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Cast iron pan support




LYD-GH-G6-G1001 Built in hob

5 gas burners
3.2/3.0/1.75/1.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Cast iron pan support



LYD-GH-G6-G1002 Built in hob

5 gas burners
3.2/3.0/1.75/1.75/1.75/1.0kw
Auto ignition
Tempered glass surface
Cast iron pan support



Surface size (mm):

915*525

Cutout size(mm) :

890*485

Carton box size(mm):

955*560*140

20'/40'/40'HQ (pcs):

345/724/908

Surface size (mm):

915*525

Cutout size(mm) :


890*485

Carton box size(mm):

955*560*140

20'/40'/40'HQ (pcs):

345/724/908





LYD-GH-S4-GE1007 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Stainless steel surface
Cast iron pan support



LYD-GH-S4-GE1008 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Stainless steel surface
Cast iron pan support



LYD-GH-S4-GE1011 Built in hob

2 gas burners+2 Electric burner
3.2/1.0kw+2000W*2
Auto ignition
Stainless steel surface
Cast iron pan support



LYD-GH-S4-GE1012 Built in hob

2 gas burners+2 Electric burner
3.0/1.0kw+2000W*2
Auto ignition
Stainless steel surface
Cast iron pan support



LYD-GH-S4-GE1009 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Stainless iron black spray
Cast iron pan support



LYD-GH-S4-GE10010 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Stainless iron black spray
Cast iron pan support




LYD-GH-S4-GE1013 Built in hob

2 gas burners+2 Electric burner
1.75/1.0kw+2000W*2
Auto ignition
Stainless steel surface
Cast iron pan support



LYD-GH-S4-GE1014 Built in hob

2 gas burners+2 Electric burner
3.0/1.0kw+2000W*2
Auto ignition
Stainless steel surface
Cast iron pan support



Surface size (mm):

580*500

Cutout size(mm) :

550*470

Carton box size(mm):

640*550*180

20'/40'/40'HQ (pcs):

410/860/1070

Surface size (mm):

580*500

Cutout size(mm) :


550*470

Carton box size(mm):

640*550*180

20'/40'/40'HQ (pcs):

410/860/1070





LYD-GH-G4-GE1003 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Tempered glass surface
Cast iron pan support

LYD-GH-G4-GE1004 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Tempered glass surface
Cast iron pan support




LYD-GH-G4-GE1001 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Tempered glass surface
Cast iron pan support



LYD-GH-G4-GE1002 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Tempered glass surface
Cast iron pan support




LYD-GH-G4-GE1005 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Tempered glass surface
Cast iron pan support



LYD-GH-G4-GE1006 Built in hob

3 gas burners+1 Electric burner
3.2/1.75/1.0kw+2000W
Auto ignition
Tempered glass surface
Cast iron pan support



Surface size (mm):

600*510

Cutout size(mm) :

560*480

Carton box size(mm):

650*550*130

20'/40'/40'HQ (pcs):

600/1200/1550

Surface size (mm):

600*510

Cutout size(mm) :


560*480

Carton box size(mm):

650*550*130

20'/40'/40'HQ (pcs):

600/1200/1550





LYD-GH-S5-GE1001 Built in hob

4 gas burners+1 Electric burner
 3.2/1.75/1.75/1.0kw+2000W
 Auto ignition
 Tempered glass surface
 Cast iron pan support



LYD-GH-S5-GE1002 Built in hob

4 gas burners+1 Electric burner
 3.2/1.75/1.75/1.0kw+2000W
 Auto ignition
 Stainless steel surface
 Cast iron pan support



LYD-GH-S5-GE1005 Built in hob

2 gas burners+3 Electric burner
 3.0/1.75kw+2000W*1+1500W*2
 Auto ignition
 Stainless steel surface
 Cast iron pan support



LYD-GH-S6-GE1001 Built in hob

4 gas burners+2 Electric burner
 3.0/1.75/1.75/1.0kw+2000W*2
 Auto ignition
 Stainless steel surface
 Cast iron pan support



LYD-GH-S5-GE1003 Built in hob

4 gas burners+1 Electric burner
 3.2/1.75/1.75/1.0kw+2000W
 Auto ignition
 Stainless iron black spray
 Cast iron pan support



LYD-GH-S5-GE1004 Built in hob

3 gas burners+1 Electric burner
 3.2/1.75/1.75/1.0kw+2000W
 Auto ignition
 Stainless iron black spray
 Cast iron pan support




LYD-GH-S5-GE1006 Built in hob

2 gas burners+1 Electric burner
 3.0/1.75/1.75/1.0kw+2000W
 Auto ignition
 Stainless steel surface
 Cast iron pan support



LYD-GH-S5-GE1007 Built in hob

2 gas burners+1 Electric burner
 3.0/1.75/1.75/1.0kw+2000W
 Auto ignition
 Stainless steel surface
 Cast iron pan support



Surface size (mm):

860*510

Cutout size(mm) :

830*480

Carton box size(mm):

910*550*130

20'/40'/40'HQ (pcs):

400/860/1000

Surface size (mm):

860*510

Cutout size(mm) :


830*480

Carton box size(mm):

910*550*130

20'/40'/40'HQ (pcs):

400/860/1000



Freestanding Gas Oven

Leyiduo



LYD-GH-FSO-G1001 Freestanding Gas Oven

Specification

Panel material: 304 Stainless steel

5 Gas Burner

Furnace frame material: cast iron

Oven Capacity: 120L

Gas heating oven(Up & Down)

Burner Firepower:

5.0+2.5+1.3+1.3+1.0 kw

Optional

Applicable Gas: LPG/NG/TG


Package

Gross Weight: 73Kg

Net Weight: 70Kg

Packing Dimensions(HxWxD):

870 x930x690mm



LYD-GH-FSO-G1002 Freestanding Gas Oven

Specification

Panel material: 304 Stainless steel

4 Gas Burner

Furnace frame material: cast iron

Oven Capacity: 80L

Gas/Electric heating oven(Up & Down)

Burner Firepower:

5.0+2.5+1.3+1.3+1.0 kw

Optional

Applicable Gas: LPG/NG/TG


Package

Gross Weight: 45Kg

Net Weight: 43Kg

Packing Dimensions(HxWxD):

880x655x690mm





LYD-GH-FSO-G1003 Freestanding Gas Oven

Specification


Panel material: 430 Stainless steel
 2 Gas Burner & 2 Electric hot plate
 Furnace frame material: cast iron
 Oven Capacity: 63L
 Gas heating oven (Up & Down)
 Burner Firepower: 2.4+1.5 kw
 Electric hot plate: 1.5+1.0kw

Optional

Applicable Gas: LPG/NG/TG

Package

Gross Weight: 39Kg
 Net Weight: 35Kg
 Packing Dimensions (HxWxD):
 890 x 660 x 605mm



LYD-GH-FSO-G1005 Freestanding Gas Oven

Specification


Panel material: 430 Stainless steel
 4 Gas Burner
 Furnace frame material: cast iron
 Oven Capacity: 51L
 Gas heating oven (Down)
 Burner Firepower:
 2.4+1.5+1.5+1.0 kw

Optional

Applicable Gas: LPG/NG/TG

Package

Gross Weight: 28Kg
 Net Weight: 26Kg
 Packing Dimensions (HxWxD):
 860x570x508mm



LYD-GH-FSO-G1004 Freestanding Gas Oven

Specification


Panel material: 430 Stainless steel
 4 Gas Burner
 Furnace frame material: cast iron
 Oven Capacity: 63L
 Gas heating oven (Up & Down)
 Burner Firepower:
 3.3+2.4+1.5+0.8 kw

Optional

Applicable Gas: LPG/NG/TG

Package

Gross Weight: 39Kg
 Net Weight: 35Kg
 Packing Dimensions (HxWxD):
 890x660x605mm



LYD-GH-FSO-G1006 Freestanding Gas Oven

Specification


Panel material: 430 Stainless steel
 5 Gas Burner
 Furnace frame material: cast iron
 Oven Capacity: 51L
 Gas heating oven (Up & Down)
 Burner Firepower:
 2.4+2.4+1.5+1.5 kw

Optional

Applicable Gas: LPG/NG/TG

Package

Gross Weight: 26Kg
 Net Weight: 24Kg
 Packing Dimensions (HxWxD):
 860x580x505mm



Leyiduo

COFFEE PRODUCT



EM600

1. Double cup (14g) ,single cup (7g);
2. Water tank volume: 600mL;
3. Function: grinding, coffee extraction, steam and hot water function;

EM600

PRESSURE COFFEE MACHINE



- Power:110V~120V/60Hz(220V~240V~50Hz) /1400W
- Dimension: 330×186×360mm
- Multiple electronic and mechanical safety protection devices
- Grind beans and coffee double fusion



CM1200

(DRIP COFFEE)



SPEC AND FEATURES

- 1.Functions - coffee maker & electric kettle.
- 2.LED HD display of temp, time, and functions
- 3.Volume - 2 cups ~ 8 cups, With time reservation function.
- 4.Brew temp is over 92 °C and adjustable. Warm keeping function.
- 5.Tank volume: 1300ml, 10 cups (1250ml) volume of glass kettle.
- 6.Cone basket with 70g volume for coffee powder.3

Product Parameters

- 1.Power: 120V/60Hz (220-240V/50Hz) , 1600W
- 2.Tank volume:1300ml, 10 cups(1250ml) volume of glass kettle.
- 3.Producor Size LWH(mm) :300x190x320
- 4.NW./GW.: 2.8/8.8kg
- 5.20GP/40GP/40HC Container Loading: 1090/2350/2740



EM1000

Leyiduo



DISPLAY ACTIONS

Visual operation,
one step ahead

SPEC AND FEATURES

1. Steaming bar, to jet steam/hot water, good for foam making, and perfect for latte or Cappuccino.
2. Professional coffee powder filter, Comes with Dual cups powder basket(14g) & Single cup powder basket(7g).
3. With steam nozzle and boiled water function.
4. Automatic pressure coffee maker, optional pressure gauge or Flow gauge.
5. Stainless steel machine body

EM1000



Product parameters

- 1.Net weight: 3.0kg
- 2.Unit (LWH):300×158×280 mm
- 3.Gift box(LWH) : 348×186×320 mm
- 4.Carton (LWH):388×360×332 mm
- 5.Power: 1400W 120V~60Hz /1400W 220-240V~50Hz
- 6.Water tank capacity: 1.2L

Loading qty

20' GP : 1344 PCS





DETAIL ACCESSORIES

1. Power: 120V/60Hz (220-240V/50Hz) , 1400W.
2. Tank vol.:1300ml.
3. Dimension: L300mm×W158mm×H280mm
4. NW./GW.: 3.0/9.0
5. 20GP/40GP/40HC Container Loading: 1332/2760/3156
6. Safety Cetification :ETL、FDA、GS、CB、CE、LFGB

Leyiduo

EM120C

(Espresso coffee machine)



SPEC AND FEATURES

1. Steaming bar, to jet steam/hot water, good for foam making, and perfect for latte or Cappuccino.
2. Professional coffee powder filter, Comes with Dual cups powder basket(14g) & Single cup powder basket(7g).
3. With steam nozzle and boiled water function.
4. Automatic pressure coffee maker, optional pressure gauge or Flow gauge.
5. Aluminium extruded sections machine body



CM1000

(DRIP COFFEE)




SPEC AND FEATURES

- 1. LED HD display of temperature and time function with touch-key button.
- 2. Volume from 2 cups to 10 cups; With time reservation function
- 3. Brew temperature oCone basket with 70g volume for coffee powder.
- 4. Over 92°C and adjustable; Warm-keeping function.

Specification

Power: 110-220V/60Hz (230V/50Hz) , 1600W
 Tank volume:1400ml, 10 cups(1250ml) volume of glass kettle.
 Productor Size LWH(mm) :218x218x460
 NW./GW.: 2.8/9kg
 20GP/40GP/40HC Container Loading: 1300/2600/2750
 Safety Standard: UL,GS,ECM,FDA



Leyiduo

新品展示
New Product



Leyiduo

迷你 电饭煲

Mini Rice Cooker

F1-M08/F1-IH08

额定功率: 300W

Power:300W

额定容积: 0.8L

Capacity:0.8L



白色
White



绿色
Green

- 可拆洗内盖
Removable & Washable Lid
- 触摸操作面板
Touch Control Panel
- 5大烹饪功能
5 Cooking Programs



Leyiduo

1913M3515

额定功率: 350W
Power: 350W

额定容积: 1.5L
Capacity: 1.5L

● 红色 Red
● 白色 White
● 香草白 vanilla white
● 黑色 Black

- 可拆洗内盖
Removable & Washable Lid
- IMD天幕操作面板
IMD Touch Control Panel
- 6大烹饪功能
6 Cooking Programs
- 24小时智能预约
24H Preset Timer



Leyiduo

养生壶

BRAND

Health pot



Leyiduo

百变炒锅

BRAND

Electric wok



Leyiduo

智能电饭煲

BRAND

Rice cooker



Leyiduo

球釜电饭煲

BRAND

Rice cooker





Leyiduo

迷你电饭煲

Mini Rice Cooker

1M3012

额定功率: 300W

Power:300W

额定容积: 1.2L

Capacity:1.2L



粉红 粉蓝 冰蓝 白色 黑色 红色
Pink Pink Blue Ice Blue White Black Red

- 陶瓷釉环保内胆
Durable Ceramic-coating Pot
- IMD天幕操作面板
IMD Touch Control Panel
- 全塑机身精美小巧, 方便携带
Exquisite And Compact PP Housing, Convenient For Carry-out
- 24小时智能预约
24H Preset Timer

Leyiduo

G212M4020/212G4020

额定功率: 400W

Power:400W

额定容积: 2L

Capacity:2L



- 可拆洗内盖
Removable & Washable Lid
- 多种颜色选择
A Variety Of Colors



G192M4020/192G4020

额定功率: 400W

Power:400W

额定容积: 2L

Capacity:2L



- 可拆洗内盖
Removable & Washable Lid
- 多种颜色选择
A Variety Of Colors



Leyiduo

CFXB70-4X
CFXB90-5X

额定功率: 700W/900W

Power:700W/900W

额定容积: 4L/5L

Capacity:4L/5L



 金色 银色
 Gold Silver



- 6种烹饪功能
6 Cooking Functions
- IMD多功能触摸面板
IMD Touch Control Panel
- 彩钢机身, 美观大方
Elegant Steel Housing
- 24小时智能预约
24H Preset Timer
- 可拆洗内盖, 方便卫生
Removable And Washable Lid,
Convenient For Cleaning



CFXB70-4U CFXB90-5U

额定功率: 700W/900W

Power:700W/900W

额定容积: 4L/5L

Capacity:4L/5L



 金色 银色
 Gold Silver



- 10种烹饪功能
10 Cooking Functions
- 3种米类选择
3 Kinds Of Rice Selection
- IMD多功能触摸面板
IMD Touch Control Panel
- 彩钢机身, 美观大方
Elegant Steel Housing
- 24小时智能预约
24H Preset Timer
- 可拆洗内盖, 方便卫生
Removable And Washable Lid,
Convenient For Cleaning



CFXB70-4V CFXB90-5V
CFXB70-4V1 CFXB90-5V1

额定功率: 700W/900W

Power:700W/900W

额定容积: 4L/5L

Capacity:4L/5L




 金色 香槟金 银色
 Gold Gold Silver



- 6种烹饪功能
6 Cooking Functions
- 24小时智能预约
24H Preset Timer
- 自动感温探头
Automatic Temperature
Sensing Prode
- 断电记忆功能
Power Off Memory Function



MECHANICAL AIR FRYER LYD-AM5002

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1400W Capacity: 4.5 L
- Safety protection, automatic power off when cooking
- Multi-dimensional, cooling holes Fast heat dissipation, low noise
- Non-stick inner frying basket, rinse without leaving a trace
- Adjustable cooking time 0-30mins
- Adjustable cooking temperature 80-200°C
- Easy to clean without sticking
- Overhead double knob operation, simple, convenient, and durable



Product details



1. Separate oil filter rack
Strain out excess fat.



2. Top double knob operation Simple, convenient and durable



3. Scald proof handle
Comfortable grip, effective anti scalding.



4. Non-slip silicone pad
Anti-slip firm placement.



5. Multi-dimensional cooling holes
Fast heat dissipation, low noise.

Container loading details

Product Size: 255x310x300 mm Product N.W.: 3.5 kg Gift Box Size: 308x308x339 mm
 CTN Size (4 pcs/CTN): 630x320x698 mm N.W.: 14 kgs G.W.: 17 kgs
 20GP/40GP/40HQ: 756/1596/1980 pcs
 Approval: CE, CB, EMC, LVD, LFGB, ROHS, ERP.

AIR FRYER

LYD-AF5005T

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1200W
- Rated capacity: 5L
- Plastic shell, SUS stainless steel heating tube
- Adjustable time: 0-60 minutes, adjustable temperature: high temperature 200 °C
- Non greasy fryer and fryer basket, easy to clean
- Panoramic window
- Automatic power-off safety protection
- Stereoscopic heating, fast heat dissipation, low noise
- Electronic operation, fashionable, beautiful, convenient, and safe

Container loading details

Gift Box Size: 375x370x335 mm
 CTN Size (4 pcs/CTN): 750x385x695 mm
 20GP/40GP/40HQ: 576/1224/1424 pcs



AIR FRYER

LYD-AM5005T

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1200W
- Rated capacity: 5L
- Plastic shell, SUS stainless steel heating tube
- Adjustable time: 0-60 minutes, adjustable temperature: high temperature 200 °C
- Non greasy fryer and fryer basket, easy to clean
- Panoramic window
- Automatic power-off safety protection
- Stereoscopic heating, fast heat dissipation, low noise
- Mechanical operation, simple, convenient, and safe

Container loading details

Gift Box Size: 375x370x335 mm
 CTN Size (4 pcs/CTN): 750x385x695 mm
 20GP/40GP/40HQ: 576/1224/1424 pcs



AIR FRYER

LYD-AF5005

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1400W
- Rated capacity: 5L
- Plastic shell, SUS stainless steel heating tube
- Adjustable time: 0-60 minutes, adjustable temperature: high temperature 200 °C
- Non greasy fryer and fryer basket, easy to clean
- No panoramic window
- Automatic power-off safety protection
- Stereoscopic heating, fast heat dissipation, low noise
- Electronic operation, fashionable, beautiful, convenient, and safe

Container loading details

Gift Box Size: 375x370x335 mm
 CTN Size (4 pcs/CTN): 750x385x695 mm
 20GP/40GP/40HQ: 576/1224/1424 pcs



AIR FRYER

LYD-AM5005

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1400W
- Rated capacity: 5L
- Plastic shell, SUS stainless steel heating tube
- Adjustable time: 0-60 minutes, adjustable temperature: high temperature 200 °C
- Non greasy fryer and fryer basket, easy to clean
- No panoramic window
- Automatic power-off safety protection
- Stereoscopic heating, fast heat dissipation, low noise
- Mechanical operation, simple, convenient, and safe

Container loading details

Gift Box Size: 375x370x335 mm
 CTN Size (4 pcs/CTN): 750x385x695 mm
 20GP/40GP/40HQ: 576/1224/1424 pcs



AIR FRYER LYD-AF6001T

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1500W
- Rated capacity: 6L
- PP housing, SUS 304 stainless steel heating tube;
- Cooking time : 0-60 minutes, adjustable
- Cooking temperature: 60-200 °C
- Non-stick coating for basket, easy to clean
- With window, can see the food cooking.
- Automatic power-off safety protection
- LED touching, with 10 menu preset.

Container loading details

Gift Box Size: 355x350x370 mm
 CTN Size (2 pcs/CTN): 720x360x390 mm
 20GP/40GP/40HQ: 576/1188/1386 pcs



AIR FRYER LYD-AM6001T

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1500W
- Rated capacity: 6L
- PP housing, SUS 304 stainless steel heating tube;
- Cooking time : 0-60 minutes, adjustable
- Cooking temperature: 60-200 °C
- Non-stick coating for basket, easy to clean
- With window, can see the food cooking.
- Automatic power-off safety protection
- Mechanical operation, simple, convenient, and safe

Container loading details

Gift Box Size: 355x350x370 mm
 CTN Size (2 pcs/CTN): 720x360x390 mm
 20GP/40GP/40HQ: 576/1188/1386 pcs




VISIBLE AIR FRYER LYD-AF7001T

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1500W Capacity: 7 L
- Adjustable cooking time 0-60mins, adjustable cooking temperature 80-200°C
- One-touch panel, tap the menu to select
- LED-touch screen panel
- Transparent visual design
- Cyclone heat flow
- Easy to clean without sticking
- Stainless steel heating tube, two on top and one on the bottom
- Safety protection, micro action device, automatic power off when cooking



Product details



Container loading details

Product Size: 332x338x300 mm Product N.W.: 5 kg Gift Box Size: 382x388x350 mm
 CTN Size (2 pcs/CTN): 778x400x370 mm N.W.: 10 kgs G.W.: 12 kgs
 20GP/40GP/40HQ: 532/1134/1288 pcs

Oil-free Air fry & Oven in one machine, healthy food is at your fingertips.



AIR FRYER OVEN LYD-KZ-13L

Features


- Voltage / Power: 220-240V~, 50/60Hz, 1200W Capacity: 13 L
- Multifunction three knobs design, time and temp can be adjusted, air fry and oven functions in one machine.
- Air fryer function.
- Oven functions: top+down tube heating; top + down tube heating + hot wind; down tube heating + hot wind.
- 4 metal heating tubes on top and 2 metal heating tubes on bottom
- Adjust temp: 0-200 °C; adjust time from 0-60 mins. With lamp inside.
- Accessory: 1pcs frying basket +1pcs baking pan.



Product details



1. Multifunction three knobs design.



2. Star-diamond 3D inner cavity, balanced heating everywhere of inside.



3. High-temp resistant interior lamp, panoramic view of cooking process.



4. Top and down tube heating can work independently.



5. Three layers design, can cook different food at one time.

Container loading details

Product Size: 335x300x295 mm GB Size: 385x350x345 mm
 CTN Size (1 pcs/CTN): 400x365x360 mm
 20GP/40GP/40HQ: 627/1283/1446 pcs

Electric oven LYD-9L-02

Features

- Voltage / Power: 220-240V~, 50/60Hz, 800W
- Rated capacity: 9L
- 14mm S.S Straight tube handle tube, 2 knobs design.
- 4 stainless steel straight heat pipes
- Function selection: Off/Up+Down pipe
- Time adjustable for 60 minutes
- Temperature adjustable at 230 °C
- Single layer glass door, upper and lower hardware door clips
- Basic accessories: baking tray, baking net

Container loading details

Gift Box Size: 380x275x250 mm
 CTN Size (4 pcs/CTN): 400x570x520 mm
 20GP/40GP/40HQ: 1100/2300/2700 pcs



Electric oven LYD-15L-01

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1500W
- Rated capacity: 15L
- 14mm S.S Straight tube handle tube, 2 knobs design.
- 4 stainless steel straight heat pipes
- Function selection: Off/Up+Down pipe
- Time adjustable for 60 minutes
- Temperature adjustable at 230 °C
- Single layer glass door, upper and lower hardware door clips
- Basic accessories: baking tray, baking net

Container loading details

Product Size: 310x236x235 mm



Electric oven LYD-12L-01

Features

- Voltage / Power: 220-240V~, 50/60Hz, 800W
- Rated capacity: 12L
- 14mm S.S Straight tube handle tube, 2 knobs design.
- 4 stainless steel straight heat pipes
- Function selection: Off/Up+Down pipe
- Time adjustable for 60 minutes
- Temperature adjustable at 230 °C
- Single layer glass door, upper and lower hardware door clips
- Basic accessories: baking tray, baking net

Container loading details

Gift Box Size: 332x260x240 mm
 CTN Size (1 pcs/CTN): 362x290x270 mm
 20GP/40GP/40HQ: 1100/2300/2700 pcs



Electric oven LYD-18L-01

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1300W
- Rated capacity: 18L
- Japanese style: The grill net and door are connected as a whole
- Hardware spray coating shell
- Galvanized inner liner
- Stainless steel straight heat pipe
- Temperature adjustable at 230 °C, time adjustable for 60 minutes
- Basic function: off/up/down/up & down
- Basic accessories: baking tray, baking net

Container loading details

Product Size: 410x280x280 mm Product N.W.: 5.9 kg Gift Box Size: 467x345x320 mm
 CTN Size (2 pcs/CTN): 690x475x335 mm N.W.: 10 kgs G.W.: 12 kgs
 20GP/40GP/40HQ: 595/1190/1360 pcs



Enjoy healthy food delicious and visible.



Electric oven LYD-18L-02

Features

- Voltage / Power: 220-240V~, 50/60Hz, 1300W
- Capacity: 18 L
- Arch design handle, 3 knobs design, double glasses door
- 4 stainless steel heating tubes.
- Adjustable function optional: OFF/bottom heating/top heating/bottom & top heating.
- 60minute adustable timer.
- 100°C to 250°C thermostat temperature control.
- Equipped with water inlet and sink, with steam effect.
- Optional function: rotisserie, convection




Product details



1. Arch design handle
Comfortable feel, better isolation effect



2. Transparent tempered glass
Easy to check the baking condition.



3. Combination plastic knob



4. Louver cooling hole
Quickly dissipate heat to avoid excessive temperature.



5. Non slip foot pad
Strong adsorption, stable and reliable.

Container loading details

Product Size: 410x280x280 mm Product N.W.: 5.9 kg Gift Box Size: 467x345x320 mm
 CTN Size (2 pcs/CTN): 690x475x335 mm N.W.: 10 kgs G.W.: 12 kgs
 20GP/40GP/40HQ: 595/1190/1360 pcs

Accessories



• Wire Rack (1pc)



• Enamel Baking Pan (1pc)



• Crumb Tray (1pc)




• Disk clip (1pc)



• Rotisseries Set (1pc)

45L large capacity, easy to meet the cooking needs of the whole family.



Electric oven LYD-45L-01

Features


- Voltage / Power: 220-240V~, 50/60Hz, 1800W
- Capacity: 45 L
- Arch design handle, hardware decorative sheet on handle, 4 knobs design;
- Single glass door + upper and lower door clips(Cold-rolled sheet);
- 4 stainless steel heating tubes;
- Adjustable cooking timer for 60 minutes;
- 100°C to 250°C thermostat temperature control;
- Adjustable function optional: OFF/down tube heating/top heating/down tube & top heating;
- Mechanical knob adjustable function: turn off / fork / hot air convection / fork and hot air convection;




Product details



1. Arch design handle
Comfortable feel, better isolation effect



2. Transparent tempered glass
Easy to check the baking condition.



3. Fork
360° rotating roast chicken fork, easy to achieve roast chicken freedom.



4. Hot air convection
360° high-speed hot whirlwind, the taste is more crispy.



5. Explosion-proof stove light
visual cooking

Container loading details

Product Size: 575x405x355 mm Product N.W.: 9.4 kg Gift Box Size: 625x415x385 mm
20GP/40GP/40HQ: 270/570/696 pcs

Accessories



• Wire Rack (1pc)



• Enamel Baking Pan (1pc)



• Crumb Tray (1pc)



• Disk clip (1pc)



• Rotisseries Set (1pc)



CYX1440



CYX1446



CYX1442



CYX1602



CYX1603





CYX1123



CYX1124



CYX1204



CYX1169



CYX1186



CYX1187



CYX1201



CYX1030



CYX1026



CYX1528



CYX1494



Leyiduo

PRODUCT

Kitchen Appliances Catalogue

Zhongshan Leyiduo Electric Appliance Co., Ltd

No.2 jianyu Road,Dayan Industry Zone,Huangpu,Zhongshan.Guangdong